




SCORER’S TABLE – 2.5mm Display Specifications

Features, Connectivity & Inputs



Use one scorer’s table or connect multiple for an LED display along the entire sideline.



Available Lengths	8'	10'
Pixel Pitch (mm)	2.5	2.5
Viewing Angle	H160/V160	H160/V160
Brightness (nits)	1000	1000
Refresh Rate	7680Hz	7680Hz
Module Size (mm)	250 x 250	250 x 250
Module Pixels	100 x 100	100 x 100
Table Display Pixels	1000 x 300	1200 x 300
Table Display Size	98.4" x 29.5"	118.1" x 29.5"
Voltage	110-240	110-240
Max Power Consumption	845W	1014W
Typical Power Consumption	285W	342W
IP Grade	IP30	IP30
Serviceability	Front	Front

Elevate your game-day experience with the Fair-Play 2.5mm Scorer’s Table, delivering exceptional image quality, seamless integration, and smart courtside functionality.

Built for performance and flexibility, it transforms courtside space into a high-impact platform for fan engagement, team branding, and revenue-generating advertising.



SCORER’S TABLE – 3.9mm Display Specifications

Features, Connectivity & Inputs



Use one scorer’s table or connect multiple for an LED display along the entire sideline.

UP TO 6 POWER OUTLETS

8x USB/USB-C PORTS

LOCKING CASTERS

7° FRONT DISPLAY SLOPE

Available Lengths	8'	10'
Pixel Pitch (mm)	3.9	3.9
Viewing Angle	H160/V160	H160/V160
Brightness (nits)	900	900
Refresh Rate	7680Hz	7680Hz
Module Size (mm)	250 x 250	250 x 250
Module Pixels	64 x 64	64 x 64
Table Display Pixels	640 x 192	768 x 192
Table Display Size	98.4" x 29.5"	118.1" x 29.5"
Voltage	110-240	110-240
Max Power Consumption	825W	990W
Typical Power Consumption	275W	330W
IP Grade	IP30	IP30
Serviceability	Front	Front

Elevate courtside with the Fair-Play 3.9mm Scorer’s Table, combining high-impact LED advertising with built-in functionality. Available in 8’ and 10’ sections, tables can be linked for a seamless sideline display.

The 8’ model delivers 122,880 pixels and the 10’ model 147,456 pixels. Each section also includes up to 6 power outlets and 8 USB/USB-C ports, bringing vivid visuals, advertising opportunities, and convenient connectivity directly courtside.



SCORER'S TABLE – 2.5mm & 3.9mm Display Specifications



18" powder-coated steel top rated to 300 lbs.



100% upgradeable to a smaller pixel pitch.



Durable steel & aluminum construction, unlike wood construction used by some brands.



Durable 30 oz. vinyl pads in multiple colors.

Available Lengths Model Number	10' - 3.9mm CST-103E	10' - 2.5mm CST-102E	8' - 3.9mm CST-083E	8' - 2.5mm CST-102E
Total Height	37.25"	37.25"	37.25"	37.25"
Total Width	121.5"	121.5"	102"	102"
Total Depth	33"	33"	33"	33"
Power Draw	1032 W	1056 W	867 W	887 W
Input Power Requirement	110 VAC*	110 VAC*	110 VAC*	110 VAC*
Weight	656 lbs	656 lbs	520 lbs	520 lbs

*By default tables will be wired to run off a single NEMA 5-15P cord on a standard 120 VAC 15 amp breaker. Contact your Fair-Play sales rep for details on other power options.

One Ecosystem. Total Venue Control with **Fair-Play Fusion**



All-in-one game-day control for video boards, stanchions, fixed-digit scoreboards, LED displays, and scorer's tables from one easy-to-use platform.

A removable top pad with concealed cable management keeps accessories organized and routes cables between tables. Backed by a 5-year limited warranty.

• [Download Fair-Play Fusion](#)

FAIR-PLAY

800.247.0265 • fair-play.com

Built for the Game. Engineered for the Decades.

©Fair-Play Corporation. All Rights Reserved. 2026. V.20260831